RECEIVED CENTRAL FAX CENTER

In the Claims

AUG 2 9 2006

Claims remaining in the application are as follows:

- 1. (Currently Amended): A database system eapable of executing adapted to execute a database application that transfers a logical object in multiple fragments, the database system comprising:
 - a main storage site;
 - a remote storage site capable of linking adapted to link to the main storage site and mirroring to receive and store mirror information stored in the main storage site, the remote storage site including a storage and a cache sidefile divided into a plurality of array sidefile recordsets;
 - a main protocol executable on the main storage site and eapable of including adapted
 to transfer the logical object in multiple fragments in combination with
 information indicative of logical object fragment commencement and
 completion in the multiple fragment database application transfer; and
 - a remote protocol executable on the remote storage site and eapable of controlling

 adapted to control the cache sidefile to cache the multiple fragments as

 received and to enable destaging of destage the logical object to the storage on receipt of all fragments.
 - 2. (Currently Amended): The database system according to Claim 1 wherein: the main protocol includes information indicative of logical object fragment commencement and completion using a technique selected from among a group including consisting of: (1) explicitly identifying starting and ending fragments sending a start control message preceding the multiple fragments and an end control message concluding the multiple fragments, and (2) implicitly indicating either of the starting fragment and the ending fragment determining either a start control message or an end control message.
- 3. (Original): The database system according to Claim 1 wherein the main protocol further comprises:
 - an address translation process that translates a logical address to a list of physical addresses.

KB Ref. No.: 1015.P036US

-Page 2 of 14-

Serial No. 10/697,820

- 4. (Original): The database system according to Claim 1 wherein the main protocol further comprises:
 - an address translation process that resolves a virtual write address of the database application into a pick list of actual physical media writes associated with the logical object.
- 5. (Currently Amended): The database system according to Claim 1 wherein the main protocol further comprises:
 - a process eapable of creating adapted to create a control message for communication to the remote protocol that instructs individual physical storage elements to operate on the multiple physical writes as a single object entity so that all or none is destaged to the storage.
- 6. (Currently Amended): The database system according to Claim 1 wherein the main protocol further comprises:
 - a process eapable of receiving adapted to receive an application request to write the logical object of a specified length to a specified virtualized storage address;
 - a process capable of converting adapted to convert the virtualized write address and resolving the transfer length to designate at least one physical address in at least one physical storage device for transferring the logical object in fragments;
 - a process eapable of sending adapted to send a first control message to the at least one physical storage device that delineates the start of a logical object that is to be held in a remote mirror cache for destaying; and
 - a process eapable of sending adapted to send a second control message that

 delineates the end of the logical object so that the mirror cache is destaged to
 the at least one physical storage device, no portion of the logical object
 fragments being otherwise destaged.
 - 7. (Original): The database system according to Claim 1 wherein: information is replicated from the main storage site to the remote storage site using a technique selected from among a group including: (1) synchronous data replication and (2) asynchronous data replication.

- 8. (Original): The database system according to Claim 1 wherein: the logical object multiple fragments are controllably destaged in all-or-none fashion to all devices in a consistency group.
- 9. (Currently Amended): An article of manufacture comprising:
- a controller usable medium having a computable readable program code embodied therein for executing in a database system that runs a database application for mirroring a logical object in multiple fragments from a main storage site to a remote storage site, the computable readable program code further comprising:
 - a code eapable of causing configured to cause the controller to interface with the database application that links and mirrors data between the main storage site and the remote storage site, the remote storage site including a storage and a cache sidefile divided into a plurality of array sidefile recordsets; and
 - a code eapable of eausing configured to cause the controller to create and deploy the logical object in multiple fragments in combination with control information indicative of logical object fragment commencement and completion in the multiple fragment database application transfer; the control information controlling the cache sidefile to cache the multiple fragments as received and to enable destaging of destage the logical object to the storage on receipt of all fragments.
- 10. (Currently Amended): The article of manufacture according to Claim 9 wherein the computable readable program code further comprises:
 - a code eapable of creating adapted to create control information indicative of logical object fragment commencement and completion using a technique selected from among a group including consisting of: (1) explicitly identifying starting and ending fragments sending a start control message preceding the multiple fragments and an end control message concluding the multiple fragments, and (2) implicitly indicating either of the starting fragment and the ending fragment determining either a start control message or an end control message.

- 11. (Currently Amended): The article of manufacture according to Claim 9 wherein the computable readable program code further comprises:
 - a code eapable of translating adapted to translate a logical address to a list of physical addresses.
- 12. (Currently Amended): The article of manufacture according to Claim 9 wherein the computable readable program code further comprises:
 - a code eapable of resolving adapted to resolve a virtual write address of the database application into a pick list of actual physical media writes associated with the logical object.
- 13. (Currently Amended): The article of manufacture according to Claim 9 wherein the computable readable program code further comprises:
 - a code eapable of creating adapted to create a control message for communication to the remote protocol that instructs individual physical storage elements to operate on the multiple physical writes as a single object entity so that all or none is destaged to the storage.
- 14. (Currently Amended): The article of manufacture according to Claim 9 wherein the computable readable program code further comprises:
 - a code eapable of receiving adapted to receive an application request to write the logical object of a specified length to a specified virtualized storage address;
 - a code capable of converting adapted to convert the virtualized write address and resolving the transfer length to designate at least one physical address in at least one physical storage device for transferring the logical object in fragments;
 - a code eapable of sending adapted to send a first control message to the at least one physical storage device that delineates the start of a logical object that is to be held in a remote mirror cache for destaging; and
 - a code capable of sending adapted to send a second control message that delineates the end of the logical object so that the mirror cache is destaged to the at least one physical storage device, no portion of the logical object fragments being otherwise destaged.

KB Ref. No.: 1015.P0361JS -Page 5 of 14- Serial No. 10/697,820

- 15. (Currently Amended): The article of manufacture according to Claim 9 wherein the computable readable program code further comprises:
 - a code eapable of replicating adapted to replicate information from the main storage site to the remote storage site using a technique selected from among a group including: (1) synchronous data replication and (2) asynchronous data replication.
- 16. (Currently Amended): The article of manufacture according to Claim 9 wherein the computable readable program code further comprises:
 - a code eapable of adapted to controllably destaging destage the logical object multiple fragments in all-or-none fashion to all devices in a consistency group.
 - 17. (Currently Amended): An article of manufacture comprising:
 - a controller usable medium having a computable readable program code embodied therein for executing in a database system that runs a database application for mirroring a logical object in multiple fragments from a main storage site to a remote storage site, the computable readable program code further comprising:
 - a code capable of causing executable at the remote storage site configured to

 cause the controller to receive the logical object in multiple fragment

 transfers in combination with control information indicative of logical

 object fragment commencement and completion;
 - a code capable of causing executable at the remote storage site configured to

 cause the controller to control storage of the logical object multiple
 fragments in a cache sidefile divided into a plurality of array sidefile
 recordsets; and
 - a code eapable of causing executable at the remote storage site configured to

 cause the controller to cache the multiple fragments as received and to

 enable destaging of destage the logical object to the storage on receipt

 of all fragments.

- 18. (Currently Amended): The article of manufacture according to Claim 17 wherein the computable readable program code further comprises:
 - a code eapable of determining adapted to determine logical object fragment commencement and completion using a technique selected from among a group including consisting of: (1) receiving explicitly identified starting and ending fragments, and (2) deriving either of the starting fragment and the ending fragment implicitly from received control information.
- 19. (Currently Amended): The article of manufacture according to Claim 17 wherein the computable readable program code further comprises:
 - a code capable of causing configured to cause the controller to track order of fragment updating between the main storage site and the remote storage site including updating of the sidefile recordsets.
- 20. (Currently Amended): The article of manufacture according to Claim 17 wherein the computable readable program code further comprises:
 - a code eapable of replicating adapted to replicate information from the main storage site to the remote storage site using a technique selected from among a group including: (1) synchronous data replication and (2) asynchronous data replication.
- 21. (Currently Amended): The article of manufacture according to Claim 17 wherein the computable readable program code further comprises:
 - a code eapable of adapted to controllably destaging destage the logical object multiple fragments in all-or-none fashion to all devices in a consistency group.
- 22. (Currently Amended): A storage element readable by a controller tangibly embodying a program of instructions executable by the controller to perform method acts for executing in a database system that runs a database application for mirroring a logical object in multiple fragments from a main storage site to a remote storage site, the method acts comprising:

- receiving the logical object at the remote storage site in multiple fragment transfers in combination with control information indicative of logical object fragment commencement and completion;
- controlling storage of the logical object multiple fragments at the remote

 storage site in a cache sidefile divided into a plurality of array sidefile
 recordsets; and
- caching the multiple fragments at the remote storage site as received; and to enable destaging of the logical object at the remote storage site to the storage on receipt of all fragments.
- 23. (Currently Amended): The storage element according to Claim 22 wherein the method acts further comprise:
 - creating control information indicative of logical object fragment commencement and completion using a technique selected from among a group including consisting of: (1) explicitly identifying starting and ending fragments, and (2) implicitly indicating either of the starting fragment and the ending fragment.
- 24. (Original): The storage element according to Claim 22 wherein the method acts further comprise:
 - resolving a virtual write address of the database application into a pick list of actual physical media writes associated with the logical object.
- 25. (Original): The storage element according to Claim 22 wherein the method acts further comprise:
 - creating a control message for communication to the remote protocol that instructs individual physical storage elements to operate on the multiple physical writes as a single object entity so that all or none is destaged to the storage.
- 26. (Original): The storage element according to Claim 22 wherein the method acts further comprise:
 - receiving an application request to write the logical object of a specified length to a specified virtualized storage address;

- converting the virtualized write address and resolving the transfer length to designate at least one physical address in at least one physical storage device for transferring the logical object in fragments;
- sending a first control message to the at least one physical storage device that delineates the start of a logical object that is to be held in a remote mirror cache for destaging; and
- sending a second control message that delineates the end of the logical object so that the mirror cache is destaged to the at least one physical storage device, no portion of the logical object fragments being otherwise destaged.
- 27. (Original): The storage element according to Claim 22 wherein the method acts further comprise:
 - replicating information from the main storage site to the remote storage site using a technique selected from among a group including: (1) synchronous data replication and (2) asynchronous data replication.
- 28. (Currently Amended): A storage element readable by a controller tangibly embodying a program of instructions executable by the controller to perform method acts for executing in a database system that runs a database application for mirroring a logical object in multiple fragments from a main storage site to a remote storage site, the method acts comprising:
 - interfacing with the database application that links and mirrors data between the main storage site and the remote storage site, the remote storage site including a storage and a cache sidefile divided into a plurality of array sidefile recordsets; and
 - fragments in combination with control information indicative of logical object fragment commencement and completion in the multiple fragment database application transfer; the control information controlling the cache sidefile to cache the multiple fragments as received; and
 - to enable destaging of at the remote storage site the logical object to the storage on receipt of all fragments.

The storage element according to Claim 28 wherein the 29. (Original): method acts further comprise:

determining logical object fragment commencement and completion using a technique selected from among a group including: (1) receiving explicitly identified starting and ending fragments, and (2) deriving either of the starting fragment and the ending fragment implicitly from received control information.

The storage element according to Claim 28 wherein the 30. (Original): method acts further comprise:

tracking order of fragment updating between the main storage site and the remote storage site including updating of the sidefile recordsets.

The storage element according to Claim 28 wherein the 31. (Original): method acts further comprise:

replicating information from the main storage site to the remote storage site using a technique selected from among a group including: (1) synchronous data replication and (2) asynchronous data replication.

The storage element according to Claim 28 wherein the 32. (Original): method acts further comprise:

controllably destaging the logical object multiple fragments in all-or-none fashion to all devices in a consistency group.